



Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by USC&GS, USGS, and TVA
Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1947. Field examination by TVA, 1951
Polyconic projection, 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in purple
Grid declination 0°07' 2" West
Revisions in purple compiled by TVA, October 1966
from March 1966 photography

APPROXIMATE MEAN
DECLINATION 1994
1966



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092,
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219,
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty **LANE IS LANE** Improved dirt
Medium-duty **LANE IS LANE** Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route
JUL 25 1978
CAMPBELLVILLE, TENN.
N3515-W8707.5/7.5
1951
AMS 3554 1 SW-SERIES, V841