

Mapped, edited, and published by the Geological Survey


Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1963


Polycyclic projection. 1927 North American Datum
10,000-foot grids based on Wyoming coordinate system, east zone.
Nebraska coordinate system, south zone and Colorado coordinate system,
north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 13, shown in blue

Fine red dashed lines indicate selected fence lines

To place on the predicted North American Datum 1983
move the projection lines 6 meters north and
45 meters east as shown by dashed corner ticks




UTM GRID AND 1963 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Map photinspected 1976
No major culture or drainage changes observed



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt = = = = =

PINE BLUFFS SE, WYO.-NEBR.-COLO.
41104-A1-TF-024

1963
PHOTOINSPECTED 1976
DMA 5166 II SE-SERIES V874