





Mapped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, USCE, and TVA  
Topography from aerial photographs by photogrammetric methods. Aerial  
photographs taken 1952 and 1957. Field check 1958.  
Polyconic projection. 1927 North American datum  
10,000-foot grids based on Kentucky coordinate system, north zone, and  
Ohio coordinate system, south zone. 1000-meter Universal Transverse  
Mercator grid ticks, zone 17, shown in blue.  
The state boundary as shown represents the approximate position of the low  
waterline as determined from U. S. Corps of Engineers Ohio River charts,  
surveyed 1914, and supplementary information.  
Land lines based on Ohio River Base.  
Red tint indicates area in which only landmark buildings are shown.  
Fine red dashed lines indicate selected fence and field lines  
visible on aerial photographs. This information is unchecked.  
Unchecked elevations are shown in brown.

APPROXIMATE MEAN  
DECLINATION, 1958



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.,  
AND KENTUCKY DEPARTMENT OF ECONOMIC DEVELOPMENT, FRANKFORT, KENTUCKY  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U. S. Route ——— State Route ———

ASHLAND, KY.—OHIO  
NW 1/4 CERDAS 15' QUADRANGLE  
N 3822.5—W 8237.5/7.5

MAP AND PHOTO LIBRARY  
University of Wisconsin