



Mapped, edited, and published by the Geological Survey



Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1952. Field checked 1954. Revised from aerial photographs taken 1976. Field checked 1977. Map edited 1980

Polyconic projection. 10,000-foot grid ticks based on Kentucky coordinate system, south zone 1000-meter Universal Transverse Mercator grid, zone 17 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 6 meters south and 9 meters west as shown by dashed corner ticks


Dashed contours in strip mine areas not revised



CONTOUR INTERVAL 40 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092 KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



MAP AND AIR PHOTO  
LIBRARY

NOV 7 1980

University of Wisconsin  
Madison

ROAD CLASSIFICATION

Primary highway, hard surface  
Secondary highway, hard surface  
Unimproved road  
Interstate Route  
U. S. Route  
State Route

CUTSHIN, KY.  
SE/4 HYDEN 15' QUADRANGLE  
N3700-W8315/7.5

1980

DMA 4358 III SE-SERIES V853