

Planimetry by photogrammetric methods from aerial photographs taken 1950. Topography by planetable surveys 1951 Revised from aerial photographs taken 1967. Field checked 1968

Polyconic projection. 1927 North American datum 10,000-foot grids based on Kentucky coordinate system, south zone, and Tennessee coordinate system 1000-meter Universal Transverse Mercator grid ticks, zone 16, . shown in blue 0°16′ 5 MILS 44 MILS

UTM GRID AND 1968 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

Red tint indicates area in which only landmark buildings are shown

CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092, KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601, AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



m

KENTUCKY

----

QUADRANGLE LOCATION