


Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and USED
Topography from aerial photographs by multiplex methods
Aerial photographs taken 1947. Field check 1949
Polyconic projection. 1927 North American datum
10,000-foot grids based on Kentucky coordinate system,
north zone, and Ohio coordinate system, south zone

APPROXIMATE MEAN
DECLINATION, 1949



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
AND KENTUCKY AGRICULTURAL AND INDUSTRIAL DEVELOPMENT BOARD, FRANKFORT, KENTUCKY
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty ——— **4 LANE 16 LANE** Improved dirt ———
Medium-duty ——— **4 LANE 16 LANE** Unimproved dirt ———
Loose-surface, graded, or narrow hard-surface ———
U. S. Route State Route

GARRISON, KY-OHIO
SW 1/4 GARRISON 15' QUADRANGLE
N3830-W8307.5/7.5

EDITION OF 1951

'UNIVERSITY OF WISCONSIN'
Department of Geography