

Mapped, edited, and published by the Geological Survey
Control by USGS, NOS/NOAA, and USCE
Topography by photogrammetric methods from aerial photographs
taken 1951. Field checked 1954. Revised from aerial photographs
taken 1975. Field checked 1975. Map edited 1978
Polyconic projection. 1927 North American datum
10,000-foot grid ticks based on Kentucky coordinate system, south zone
1000-meter Universal Transverse Mercator grid, zone 16
Lake Cumberland subject to controlled inundation to 760 feet.
Underwater contours in Lake Cumberland from USCE charts dated 1943

UTM GRID AND 1978 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

4057 N SW
SCALE 1:24 000

The graphic scale bar consists of two horizontal lines. The top line is marked in feet, with major ticks every 1000 feet from 0 to 7000. The bottom line is marked in kilometers, with major ticks at 0, 0.5, and 1.0. The text '1 KILOMETER' is placed at the right end of the bottom line.


1
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 .5 0 1 KILOMETER


CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092,
KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506,
AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface _____	Light-duty road, hard or improved surface _____
Secondary highway, hard surface _____	Unimproved road _____

 Interstate Route

 U. S. Route

 State Route

JABEZ, KY.
NW/4 MONTICELLO 15' QUADRANGLE
N3652.5—W8452.5/7.5

1978

AMS 4057 IV NW—SERIES V853

MAP AND AIR PHOTO LIBRARY
University of Wisconsin, Madison