


Topography by USGS and TVA by multiplex methods from aerial photographs taken 1948 and 1949. Field examination by TVA, 1951

Polyconic projection. 1927 North American datum 10,000-foot grid based on Kentucky (South) rectangular coordinate system

APPROXIMATE MEAN DECLINATION 1951

1 KILOMETER CONTOUR INTERVAL 10 FEET DASHED LINES REPRESENT HALF-INTERVAL CONTOURS DATUM IS MEAN SEA LEVEL THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C. KENTUCKY AGRICULTURE AND INDUSTRIAL DEVELOPMENT BOARD, FRANKFORT, KY. U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Heavy-duty______ 4 LANE 16 LANE Improved dirt____ Medium-duty _____ 4 LANE 16 LANE Unimproved dirt ====== Loose-surface, graded, or narrow hard-surface _ _ _ 🔟 U. S. Route 🛛 🔟 State Route

> KIRKSEY, KY. NW/4 MURRAY 15' QUADRANGLE N3637.5-W8822.5/7.5 1951