


Produced by the United States Geological Survey
Topography compiled 1953. Planimetry derived from imagery taken 1994 and other sources. Public Land Survey System and survey control current as of 1963.
North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 17.
2 500-meter ticks: Ohio Coordinate System of 1983 (north zone).
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
Entire area lies within the Connecticut Western Reserve. Land lines established by private subdivision of the Connecticut Western Reserve. Landmark buildings verified 1963.

UTM GRID AND 2000 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
7.5°
133 MILS
0° 32'
9 MILS



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Primary highway hard surface
Secondary highway hard surface
Unimproved road
Light-duty road, hard or improved surface
Unimproved road
Interstate Route U.S. Route State Route

1	2	3
4	5	6
7	8	9

BEREA, OH
1994

NIMA 4666 IV SE-SERIES V852

RECEIVED
FEB 28 2001
HISTORICAL MAP ARCHIVES

