

Mapped, edited, and published by the Geological Survey


Control by USGS, USC&GS, and USCE

Topography in Ohio and Kentucky from aerial photographs by multiplex methods
Aerial photographs taken 1949. Field check 1951, and 1953-1954
Topography in Indiana by plane-table surveys 1940. Revised 1953-1954

Polyconic projection. 1927 North American datum
10,000-foot grids based on Ohio coordinate system, south zone,
Indiana coordinate system, east zone, and Kentucky coordinate system,
north zone

Dotted land lines were established by private
subdivision of Symmes Purchase

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1954



THE OHIO AND KENTUCKY PORTION COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.,
INDIANA DEPARTMENT OF CONSERVATION, INDIANAPOLIS, INDIANA, AND
KENTUCKY AGRICULTURAL AND INDUSTRIAL DEVELOPMENT BOARD, FRANKFORT, KENTUCKY
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S.G.S.
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty 4 LANE 6 LANE Light-duty
Medium-duty 4 LANE 6 LANE Unimproved dirt
U. S. Route State Route

HOOVEN, OHIO-IND.-KY.

NE/4 LAWRENCEBURG 15' QUADRANGLE
N 3907.5-W 8445/7.5

1954