



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

OAK HARBOR QUADRANGLE  
OHIO  
7.5 MINUTE SERIES (TOPOGRAPHIC)  
SW/4 OAK HARBOR 15' QUADRANGLE



Mapped, edited, and published by the Geological Survey  
Revised in cooperation with State of Ohio agencies  
Control by USGS and USC&GS  
Planimetry by photogrammetric methods from aerial photographs taken  
1950. Topography by planetable surveys 1952  
Revised from aerial photographs taken 1965. Field checked 1967  
Selected hydrographic data compiled from U. S. Lake Survey Chart 37  
(1965). This information is not intended for navigational purposes  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Ohio coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks, zone 17,  
shown in blue  
Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked  
Land lines north of Fulton Line based on the Michigan Meridian  
Land lines south of Fulton Line based on the First Principal Meridian



SCALE 1:24,000  
CONTOUR INTERVAL 5 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 568.6 FEET

USGS  
Historical File  
Topographic Division



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
○ State Route

OAK HARBOR, OHIO  
SW/4 OAK HARBOR 15' QUADRANGLE  
N4130—W8307.5/7.5

1967

AMS 4367 II SW—SERIES V852

U.S.G.S.  
FINE COPY  
TOPOGRAPHIC DIVISION

2535  
MAY 2 1969