



Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs
taken 1959. Field checked 1961
Polyconic projection. 10,000-foot grid ticks based on Ohio coordinate
system, north zone. 1000-meter Universal Transverse Mercator grid
ticks, zone 16, shown in blue. 1927 North American Datum
To place on the predicted North American Datum 1983 move the
projection lines 2 meters south and 6 meters west as shown by
dashed corner ticks

Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked
Red tint indicates areas in which only landmark buildings are shown
Areas covered by dashed light blue pattern are subject to controlled
inundation to 938 feet by Lockington Dam
Land lines north of the Greenville Treaty Line based on the First Principal
Meridian. Land lines south of the Greenville Treaty Line based on the
Great Miami River Base. Area east of the Miami River lies
within the Between the Mamis. Area west of the Miami River lies
within the Miami River Surveys

UTM GRID AND 1982 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple and woodland compiled in cooperation
with State of Ohio agencies from aerial photographs taken
1980 and other sources. This information not field
checked. Map edited 1982
Purple tint indicates extension of urban areas

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
Interstate Route U.S. Route State Route

SIDNEY, OHIO
N4015—W8407.5/7.5

1961
PHOTOREVISED 1982
DMA 4164 1 SW—SERIES V852

RETURN TO:
USGS AND HISTORICAL MAP ARCHIVES

JUN 23 1983