

Prepared by the U.S. Army Topographic Command (HYLD), Washington, D.C. Compiled in 1959 by photogrammetric methods and from United States quadrangles, 1:24,000 and 1:25,000, 1948-54. Planimetry revised from aerial photographs taken 1958. Photographs field annotated 1958. Revised by the U.S. Geological Survey 1969.

Area covered by dashed light-blue pattern is subject to controlled inundation 100,000-foot grids based on Pennsylvania coordinate system, south and north zones.

10,000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

POPULATED PLACES

- Over 500,000
- 100,000 to 500,000
- 25,000 to 100,000
- 5,000 to 25,000
- 1,000 to 5,000
- Less than 1,000

ROADS

- Primary, all-weather, hard surface
- Secondary, all-weather, hard surface
- Light-duty, all-weather, improved surface
- Fair or dry weather, unimproved surface
- Trail
- Interchange

RAILROADS

- Standard gauge
- Narrow gauge
- Single track
- Double or multiple

BOUNDARIES

- State
- County
- Park or reservation

Other Features

- Landmark: School, Church, Other
- Strip mines
- Spot elevation in feet
- Marsh or swamp
- Intermittent or dry stream
- Power line
- Landplane airport
- Landing area
- Seaplane airport
- Seaplane anchorage
- Woods/brushwood

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles



0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 Nautical Miles

CONTOUR INTERVAL 100 FEET
WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS
TRANSVERSE MERCATOR PROJECTION

1965 MAGNETIC DECLINATION FROM TRUE NORTH FOR THIS SHEET VARIES FROM 5° 00' WESTLY FOR THE CENTER OF THE WEST EDGE TO 7° 10' WESTLY FOR THE CENTER OF THE EAST EDGE.

FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242



USGS HISTORICAL FILE TOPOGRAPHIC DIVISION

PITTSBURGH, PENNSYLVANIA

1958
REVISED 1969

JUN 23 1971