




Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by USC&GS, USGS, CE, and TVA
Topography by USGS and TVA by multiplex and planetable
methods. Aerial photographs taken 1946-47.
Field examination by TVA, 1949
Polyconic projection, 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system
—375—Indicates Kentucky Lake Easement Boundary

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION 1949



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

ROAD CLASSIFICATION
In developed areas, only through roads are classified
HARD SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty — 4 LANE 16 LANE Improved dirt —
Medium-duty — 4 LANE 16 LANE Unimproved dirt —
Loose surface, graded, or narrow hard-surface —
U. S. Route State Route

U. S. G. S.
FILE COPY
Inspection and Editing

BATH SPRINGS, TENN.
N3522.5-W8800/7.5
1949

NOV 26 1952