



Control by USC&GS, USGS, and TVA  
Topography by Geological Survey from aerial  
photographs by stereophotogrammetric methods  
Field examination by Tennessee Valley Authority, 1941

UTM GRID AND 1941 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000  
CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL

ROUTES USUALLY TRAVELED  
HARD IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
U.S. ROUTE  
STATE ROUTE

Polycyclic projection. 1927 North American datum  
10,000-foot grid based on Tennessee  
rectangular coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue

DUTCH VALLEY, TENN.  
154-SE  
N3615-W8330/7.5  
1941  
AMS 4256 1 SE-SERIES B841

U.S.G.S.  
HISTORICAL FILE  
TOPOGRAPHIC DIVISION  
AUG 5 1985

FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242,  
U.S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.,  
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST