




Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by US&GS, USGS, and TVA

Topography by USGS and TVA by multiplex and planetable methods. Aerial photographs taken 1947 and 1950
Field examination by TVA, 1950

Polyconic projection. 1927 North American datum
10,000-foot grid based on Tennessee rectangular coordinate system

— 379 — Indicates Kentucky Lake Easement Boundary
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue



SCALE 1:24,000
CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37502.
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

ROAD CLASSIFICATION

HARD SURFACE ALL WEATHER ROADS	DRY WEATHER ROADS
Heavy-duty ——— LANE IN LANE	Improved dirt ———
Medium-duty ——— LANE IN LANE	Unimproved dirt ———
Loose-surface, graded, or narrow hard-surface - - - - -	
U. S. Route (with shield symbol)	State Route (with shield symbol)

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

ROCKPORT, TENN.
N3552.5-W8800/7.5
1950
MINOR CORRECTIONS MADE 1952
AMS 3355 1 NE—SERIES V841

1515
JUL 19 1968