



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by stereophotogrammetric methods. Aerial photographs taken 1954. Field check 1955

Polyconic projection. 1927 North American datum

10,000-foot grids based on Tennessee coordinate system, and Kentucky coordinate system, south zone

1000-metre Universal Transverse Mercator grid ticks, zone 16, shown in blue

To place on the predicted North American Datum 1983, move the projection lines 6 meters south and 5 meters west as shown by dashed corner ticks

Map photoinspected 1981

No major culture or drainage changes observed

UTM GRID AND 1955 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

18 MILS
1°18'
23 MILS

SCALE 1:24,000

0 1000 2000 3000 4000 5000 6000 7000 FEET

0 5 10 KILOMETRE

CONTOUR INTERVAL 20 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506

AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601

TENNESSEE DEPARTMENT OF CONSERVATION, DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———

Medium-duty ——— Unimproved dirt ———

U. S. Route —○— State Route —○—

SHARP PLACE, TENN.—KY.

SE/4 PALL MALL 15' QUADRANGLE

36084-E7-TF-024

PHOTOINSPECTED 1981

1955

DMA 4057 III SE—SERIES V841

QUADRANGLE LOCATION

TENNESSEE

RECEIVED

MAY 31 1999

USGS/NM

HISTORICAL MAP ARCHIVES

0-2-15b-07-0-NBS1

1:1567109846