



Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey  
Control by NOS/NOAA, USGS, WPA, and TVA  
Topography by USGS and TVA by photogrammetric methods  
Map field checked by TVA, 1946  
Polyconic projection, 1927 North American datum  
10,000 foot grid based on Tennessee rectangular  
coordinate system  
1000 meter Universal Transverse Mercator grid, zone 16  
To place on the predicted North American Datum 1983  
move the projection lines 6 meters south  
as shown by dashed corner ticks  
Revisions shown in purple and woodland compiled by  
The Tennessee Valley Authority from aerial photographs  
taken 1977 and other source data. This information  
not field checked. Map edited 1979



SCALE 1:24 000  
CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219  
U.S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Heavy-duty ..... Poor motor road .....  
Medium-duty ..... Wagon and jeep track .....  
Light-duty ..... Foot trail .....  
U.S. Route ..... State Route .....  
In developed areas, only through roads are classified  
MAR 12 1981  
SPRING HILL, TENN.  
N3545-W8652.5/7.5  
1946  
PHOTOREVISED 1979  
AMS 3655 IV SW-SERIES V841

USGS  
Historical File  
National Mapping Div

8050