



Prepared by the U. S. Army Topographic Command (FSART), Washington, D. C. Compiled in 1955 by photogrammetric methods and from United States quadrangles 1:24,000, 1:62,500 and 1:125,000 1902-1951. Planimetry revised from aerial photographs taken 1953. Photographs field annotated 1954. Revised in 1976 by the U. S. Geological Survey from aerial photographs taken 1972.

Area covered by dashed light-blue pattern is subject to controlled inundation.

100,000-foot grid based on Colorado coordinate system, north zone.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars.

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Grand Collee Interchange
Sun Valley

RAILROADS

Standard gauge
Narrow gauge
Single track
Double or Multiple track

BOUNDARIES

International
State
County
Park or reservation

Other

Landplane airport
Landing area
Seaplane airport
Seaplane anchorage
Woods/bushwood
Power line

Spot elevation in feet

Landmark: School, Church, Other: 2 1 1
Mine
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERS LINES INDICATE THE 1000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 13

70° MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 13° 10' WEST TO 13° 10' EAST AT THE CENTER OF THE WEST EDGE TO 12° 10' WEST TO 12° 10' EAST AT THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM FOR NK 13-11

13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20
13-11	13-12	13-13	13-14	13-15	13-16	13-17	13-18	13-19	13-20

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

GRID ZONE DESIGNATION

100,000 SQUARE IDENTIFICATION

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: DEGREE

1. Read letters identifying 100,000 meter square in which the point lies.

2. Locate first WESTING and NORTHING of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.

3. Estimate tenths from grid line to point. Estimate tenths from grid line to point. Estimate tenths from grid line to point.

SAMPLE REFERENCE

If reporting beyond 10' in any direction, quote Grid Zone Designation as:

13TQK360

13TQK360