



Produced by the United States Geological Survey

Topography compiled 1952 and 1954. Planimetry derived from imagery taken 1974. Photoinspected using imagery dated 1994; no major culture or drainage changes observed. Survey control current as of 1956. Boundaries verified 1998.

North American Datum of 1927 (NAD 27)
Projection: Georgia coordinate system, west zone (Lambert conformal conic)
10 000-foot ticks: Georgia coordinate system, west zone and Florida coordinate system, north zone
1000-meter Universal Transverse Mercator grid, zone 17

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.

Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours.

UTM GRID AND 1998 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

31° 15' 22" N
62 MILLS

SCALE 1:24 000

1 000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 0 1 KILOMETER

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface ————— Improved surface —————
Secondary highway, hard surface ————— Unimproved road —————
Interstate Route (red circle) U. S. Route (red rectangle) State Route (red circle)

QUADRANGLE LOCATION

GEORGIA

U.S. GEOLOGICAL SURVEY
MAY 31 1998
REC'D FILE COPY

NANKIN, GA.-FLA.

1994

NIMA 4345 III NW-SERIES V845

9 780607 877373