



9154 N MW
SCALE 1:24 000

The graphic scale bar consists of three horizontal segments. The top segment is labeled '1 MIL' at the right end and has major tick marks at 1000, 0, 1000, 2000, 3000, 4000, 5000, 6000, and 7000 FEET. The middle segment is labeled '1 KILOMETER' at the right end and has major tick marks at 1, 5, and 0. The bottom segment is labeled '1 KILOMETER' at the right end and has major tick marks at 1, 5, and 0. Below the scale bar, the text 'CONTOUR INTERVAL 10 FEET' and 'NATIONAL GEODETIC VERTICAL DATUM OF 1929' is printed.

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road

☐ Interstate Route
 ☐ U. S. Route
 ☐ State Route



USGS NMD HISTORICAL MAP

AUG 02 1989

REC'D FILE COPY

BEAR CREEK, N. C.
35079-E4-TF-024

1970
PHOTOINSPECTED 1980
DMA 5155 III SW-SERIES V842