



Control by USC&GS, USGS, and TVA
Topography by Geological Survey from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority, 1942
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue

SCALE 1:24 000
0 1000 2000 3000 4000 5000 6000 7000 FEET
0 1 2 KILOMETER
Contour interval 20 feet
Occasional 10 foot contours shown by broken lines
Datum is mean sea level

USGS
Historical File
Topographic Division

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

Polyconic projection, 1927 North American datum
10,000 foot grid based on North Carolina
rectangular coordinate system
ROUTES USUALLY TRAVELED
HARD, IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U.S. ROUTE STATE ROUTE

FRUITLAND, N. C.
202-NW

N3522.5-W8222.5/7.5
1942

APR 2 1 1965

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242,
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.,
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST