



Topography by Geological Survey from aerial
photographs by stereophotogrammetric methods
Field Examination by Tennessee Valley Authority, 1938

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1938

SCALE 1:24,000
CONTOUR INTERVAL 50 FEET WITH 25 FOOT CONTOURS SHOWN BY BROKEN LINE
DATUM IS MEAN SEA LEVEL

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
AND U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION
HISTORICAL

Polyconic projection. 1927 North American datum.
10 000 foot grid based on North Carolina rectangular
coordinate system
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue
MARBLE, N. C.
150-NW
N 3507.5—W 8352.5/7.5

1938

MAR 26 1964

1170