


Produced by the United States Geological Survey  
in cooperation with the North Carolina Department  
of Environment and Natural Resources

Topography compiled 1962. Planimetry derived from imagery  
taken 1998 and other sources. Survey control current as of 1964  
North American Datum of 1983 (NAD 83). Projection and  
1:600-meter grid: Universal Transverse Mercator, zone 17  
2500-meter ticks: North Carolina Coordinate System of 1983  
North American Datum of 1927 (NAD 27) is shown by dashed  
corner ticks. The values of the shift between NAD 83 and  
NAD 27 for 7.5-minute intersections are obtainable from  
National Geodetic Survey NADCON software  
Landmark buildings verified 1964

UTM GRID AND 2000 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



ROAD CLASSIFICATION

Primary highway .....  
Secondary highway .....  
Light-duty road, hard or  
improved surface .....  
Unimproved road .....  
Interstate Route .....  
U.S. Route .....  
State Route .....

|   |   |   |                 |
|---|---|---|-----------------|
| 1 | 2 | 3 | 1 Clayton       |
|   |   |   | 2 Flowers       |
|   |   |   | 3 Suncle Chapel |
|   |   |   | 4 Pawhatan      |
| 4 |   | 5 | 5 Kealy West    |
|   |   |   | 6 Four Oaks NE  |
| 6 | 7 | 8 | 8 Princeton     |

RECEIVED  
JAN 31 2000  
HISTORICAL MAP ARCHIVES

SELMA, NC  
1998

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NIMA 5355 III SE-SERIES V842

