


Produced by the United States Geological Survey
Topography compiled by planetable surveys 1949-1950
Planimetry derived from imagery taken 1997 and other sources
Survey control current as of 1950
North American Datum of 1983 (NAD 83). Projection and
1 000-meter grid: Universal Transverse Mercator, zone 17
10 000-foot ticks: North Carolina Coordinate System of 1983
North American Datum of 1927 (NAD 27) is shown by dashed
corner ticks. The values of the shift between NAD 83 and
NAD 27 for 7.5-minute interspersions are obtainable from
National Geodetic Survey NADCON software
Landmark buildings verified 1950

UTM GRID AND 2001 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24 000
1 000 0 0.5 1 KILOMETERS
1 000 0 1000 2000 METERS
1 000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 FEET
CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Primary highway
hard surface
Secondary highway
hard surface
Light-duty road, hard or
improved surface
Unimproved road
Interstate Route
U.S. Route
State Route

1	2	3	1 Rural Hall
4	5	4 Winston-Salem West	
6	7	5 Kennesaw	
		6 Welcome	
		7 Midway	
		8 High Point West	

WINSTON-SALEM EAST, NC

1997

NIMA 4956 II SW-SERIES V842

RECEIVED

JUL 3 1 2001

USGS NWU
HISTORICAL MAP ARCHIVES



155N 0-107-92403-1
9 780607 924411