

V501, EDITION 3
Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1947 from United States quadrangles 1:25,000, 1:31,680, and 1:62,500, 1893-1944; US&GS charts, 1940-45. Planimetry revised in part from aerial photographs taken 1939-44. Revised by the U.S. Geological Survey 1969.
Selected hydrographic data compiled from US&GS charts. This information is not intended for navigational purposes.
100,000-foot grid based on New Jersey coordinate system, and Pennsylvania coordinate system south and north zones
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

POPULATED PLACES

- Over 500,000
- 100,000 to 500,000
- 25,000 to 100,000
- 5,000 to 25,000
- 1,000 to 5,000
- Less than 1,000

ROADS

- Primary, all-weather, hard surface
- Secondary, all-weather, hard surface
- Light-duty, all-weather, improved surface
- Fair or dry weather, unimproved surface
- Trail

RAILROADS

- Normal gauge
- Narrow gauge
- Landplane airport
- Landing area
- Seaplane airport
- Seaplane anchorage
- Power line
- Spot elevation in feet

BOUNDARIES

- State
- County
- Park or reservation
- Wine

Other

- Landmark: School, Church, Other
- Depth curve in feet
- Limit of danger: Reef
- Rocks: Awash
- Foreshore flat
- Intermittent or dry stream
- Marsh or swamp

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles


CONTOUR INTERVAL 100 FEET

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 18

1965 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 9° (160 MILES) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 11° (200 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



GRID ZONE DESIGNATION		TO GIVE A STANDARD REFERENCE ON THIS SHEET MARKED 1000 METERS	
VA	WA	VA	WA
50	40	5	4
50	40	5	4
50	40	5	4
50	40	5	4

STOCK NO. V501.NK1811**03