



Maped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, USCE, and  
South Carolina Geodetic Survey  
Topography by photogrammetric methods from aerial  
photographs taken 1956. Field checked 1963  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on South Carolina coordinate  
system, north zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue  
Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked  
Reservation boundary from maps by U.S. Corps of Engineers  
Areas covered by dashed light-blue pattern are subject  
to controlled inundation to 665 feet

UTM GRID AND 1963 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000  
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 1 1 KILOMETER  
CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U. S. Route



HOLLY SPRINGS, S. C.—GA.  
N3437.5—W8307.5/7.5

USGS  
Historical File  
Topographic Division

1963  
AMS 4353 II NW—SERIES V846

JUL 14 1964

2455