





To convert feet to meters
multiply by .3048

To convert meters to feet
multiply by 3.2808



NATIONAL OCEAN SURVEY INDEX
HYDROGRAPHIC SURVEY INDEX



**HYDROGRAPHIC SURVEY
INFORMATION**

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-9380	1973	1:10,000	01-05

1

SCALE 1:24 000

0

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 5 1 KILOMETER

CONTOUR INTERVAL 10 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY
0.5 METER CONTOURS—DATUM IS MEAN LOW WATER

THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

THE RANGE OF TIDE IS APPROXIMATELY 0.4 METER

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC
ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY



FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty _____ Light-duty _____

Medium-duty _____ Unimproved dirt _____

 Interstate Route  State Route

ANACOSTIA, D.C. — MD
N3845 — W7652.5/7.5

1965
PHOTOREVISED 1979
BATHYMETRY ADDED 1982
DMA 5661 IV SW—SERIES V833

1983

RETURN TO:
USGS NHD HISTORICAL MAP ARCHIVES

AUG 28 1963