


Mapped by the Army Map Service  
Published for civil use by the Geological Survey  
Control by USGS, USC&GS, and USCE  
Topography by photogrammetric methods from aerial  
photographs taken 1959. Field checked 1959  
Selected hydrographic data compiled from USC&GS  
Chart 6462 (1947) and hydrographic surveys (1936)  
This information is not intended for navigational purposes  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Washington coordinate system,  
south zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 10, shown in blue  
Red tint indicates areas in which only landmark buildings are shown  
Land lines added and minor corrections by USGS 1965



SCALE 1:24,000  
CONTOUR INTERVAL 20 FEET  
DOTTED LINES REPRESENT 10-FOOT CONTOURS  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 10 FEET



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
Interstate Route U.S. Route

USGS  
Historical File  
Topographic Division  
TUMWATER, WASH.  
SW/4 OLYMPIA 15' QUADRANGLE  
N4700—W12252.5/7.5  
1959  
AMS 1478 III SW—SERIES V891

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

3610  
AUG 5 1966