HUNTINGTON

Prepared by the Defense Mapping Agency Topographic Center, Washington, D. C. Compiled in 1957 from United States quadrangles, 1:24,000, 1:25,000 and 1:62,500, 1900–54. Planimetry revised in part from aerial photographs taken 1956. Revised by the U. S. Geological Survey from aerial photographs taken 1976. Map edited 1977

100,000-foot grids based on Kentucky coordinate system, north zone, Ohio coordinate system, south zone, and West Virginia coordinate system, south zone

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES
Over 500,000 — BOSTON
100,000 to 500,000 — RICHMOND
25,000 to 100,000 — EVANSTON
5,000 to 25,000 — Hialeah
1,000 to 5,000 — Bar Harbor
Less than 1,000 — Fishkill

RAILROADS — Single track, Double or Multiple
Standard gauge
Narrow gauge

BOUNDARIES
International
State
County
Park or reservation

ROADS
Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Interchange
Route markers: Interstate, U.S., State

Landplane airport
Landing area
Seaplane airport
Mine
Woods-brushwood

Landmark: School; Church; Other.
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000

5 0 5 10 15 20 Statute Miles
5 0 5 10 15 20 25 30 Kilometers
5 0 5 10 15 Nautical Miles

CONTOUR INTERVAL 100 FEET

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17

1977 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 2° (40 MILS) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 3½° (60 MILS) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

LOCATION DIAGRAM



SECTIONIZED TOWNSHIP

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

TOWNSHIP OR RANGE LINE
LAND GRANT BOUNDARY

GRID ZONE DESIGNATION: 17S
100,000 M. SQUARE IDENTIFICATION



IGNORE the SMALLER figures of any grid number; these are for finding the full coordinates. Use ONLY the LARGER figure of the grid number; example: 421 000

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT WARREN

1. Read letters identifying 100,000 meter square in which the point lies: LN
2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself. Estimate tenths from grid line to point: 2
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself. Estimate tenths from grid line to point: 7

SAMPLE REFERENCE: LN2762

If reporting beyond 18° in any direction, prefix Grid Zone Designation. ex: 17SLN2762

HUNTINGTON, W. VA.; KY.; OHIO
1957
REVISED 1977

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1978