



Mapped, edited, and published by the Geological Survey

Control by USGS, NOS/NOAA, and State of Oregon

Topography by photogrammetric methods from aerial photographs taken 1967. Field checked 1970.

Polyconic projection. 1927 North American Datum

10,000-foot grid based on Oregon coordinate system, north zone 1000-meter Universal Transverse

Mercator grid ticks, zone 10, shown in blue

The difference between 1927 North American Datum and

North American Datum of 1983 (NAD 83) for 7.5 minute

intersections is given in USGS Bulletin 1875. The NAD 83

is shown by dashed corner ticks

Red tint indicates area in which only landmark buildings

are shown

Fine red dashed lines indicate selected fence lines

SCALE 1:24,000

CONTOUR INTERVAL 10 FEET

DOTTED LINES REPRESENT 5-FOOT CONTOURS

NATIONAL GEODETIC DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface

Secondary highway, hard surface

Unimproved road

Light-duty road, hard or improved surface

Interstate Route

U. S. Route

State Route



QUADRANGLE LOCATION

ALBANY, OREG.

44123-F1-TF-024

1970

PHOTOREVISED 1975

DMA 1375 II NE-SERIES V892

