


Produced by the United States Geological Survey
Control by USGS, NOS/NOAA, and Oregon DOT
Compiled from aerial photographs taken 1958. Revised from aerial photographs taken 1988 and other sources. Field checked 1991. Map edited 1993.
1927 North American Datum (NAD 27). Projection: Oregon Coordinate System, north zone (Lambert Conformal Conic) 10,000-foot ticks: Oregon Coordinate System, north zone and Washington Coordinate System, north zone.
Blue 1000-meter Universal Transverse Mercator ticks, zone 11 North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are given in USGS Bulletin 1875. There may be private inholdings within the boundaries of the National or State reservations shown on this map.
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is uncheckd.



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROAD CLASSIFICATION

Primary highway, hard surface	Light duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

BOARDMAN, OREG.-WASH.
45119-G6-TF-024

1993

DMA 2075 1 SW-SERIES V892

