

Mapped, edited, and published by the Geological Survey



Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1961. Field checked 1965. Revised from aerial photographs taken 1976. Limited field check 1979. Map edited 1979.

Polyconic projection. 1927 North American Datum. 10,000-foot grid based on Idaho coordinate system, central zone. 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue.

To place on the predicted North American Datum 1983 move the projection lines 14 meters north and 73 meters east as shown by dashed corner ticks.

Fine red dashed lines indicate selected fence lines.



CONTOUR INTERVAL 20 FEET  
DOTTED LINES REPRESENT 10-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Light-duty ————— Unimproved dirt - - - - -

ROSEWORTH SE, IDAHO  
N4215-W11445/7.5

1979

DMA 3068 IV SE-SERIES 9893

MAR 25 1980

1900