



Mapped, edited, and published by the Geological Survey
in cooperation with State of Michigan agencies
Control by USGS, USC&GS, and U.S. Lake Survey
Topography by photogrammetric methods from aerial
photographs taken 1965. Field checked 1966
Selected hydrographic data compiled from U.S. Lake Survey Chart 52 (1964)
This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue
To place on the predicted North American Datum 1983
move the projection lines 1 meter north and
5 meters west as shown by dashed corner ticks
Map photoinspected 1976
No major culture or drainage changes observed



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 576.8 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND BY THE GEOLOGICAL SURVEY DIVISION
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route

POINT LOOKOUT, MICH.
N4400—WB330/7.5

1966
PHOTOINSPECTED 1976
AMS 4272 II SE—SERIES V862

MAR 2 1981

USGS
Historical File
National Mapping Division

1600