



Mapped by the Army Map Service
Edited and published by the Geological Survey
Control by USGS, USC&GS, and Tennessee Valley Authority
Topography by photogrammetric methods from aerial photographs
taken 1942. Field checked 1942. Revised by the Geological Survey
from aerial photographs taken 1969. Field checked 1970
Selected hydrographic data compiled from U. S. Lake Survey
Chart 187 (1971). This information is not intended for navigational purposes
Polyconic projection, 1927 North American datum
10,000-foot grid based on New York coordinate system,
central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked

SCALE 1:24,000
CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS 382 FEET IN CAYUGA LAKE
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Unimproved road
Interstate Route
U. S. Route
State Route
Light-duty road, hard or improved surface
Unimproved road
Interstate Route
U. S. Route
State Route
QUADRANGLE LOCATION
To place on the predicted North American Datum 1983,
move the projection lines 5 meters south and
38 meters west as shown by dashed corner ticks

TRUMANSBURG, N. Y.
42076-E6-TF-024
1970
DMA 5669 II SW—SERIES V821

USGS NHD HISTORICAL MAP
OCT 2 - 1986
REC'D FILE COPY