



Produced by the United States Geological Survey
Control by USGS and NOS/NOAA
Compiled from aerial photographs taken 1950
Topography by plane-table surveys 1925, 1934, and 1951
Revised from aerial photographs taken 1962. Field checked 1963
Corporate boundaries revised where information available 1993
North American Datum of 1927 (NAD 27). Projection:
Utah Coordinate System, central zone (Lambert Conformal Conic)
10000-foot grid ticks: Utah Coordinate System, central and
north zones. 1000-meter Universal Transverse Mercator grid ticks
zone 12, shown in blue
The difference between NAD 27 and North American Datum of
1983 (NAD 83) for 7.5 minute intersections is given in USGS
Bulletin 1875. The NAD 83 is shown by dashed corner ticks
There may be private inholdings within the boundaries of the
National or State reservations shown on this map
Red tint indicates areas in which only landmark buildings are shown
Fine red dashed lines indicate selected fence lines

SCALE 1:24,000
CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
Interstate Route U.S. Route State Route

QUADRANGLE LOCATION
SALT LAKE CITY NORTH, UTAH
40111-G8-TF-024
1963
PHOTOREVISED 1969 AND 1975
DMA 3665 IV SW-SERIES V897

USGS AND HISTORICAL
MAP ARCHIVES
MAR 3 1 1993
REC'D FILE COPY