

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs

taken 1974. Field checked 1977. Revised 1983



Projection and 10,000-foot grid ticks: Utah coordinate system,

central zone (Lambert conformal conic)

1000-meter Universal Transverse Mercator grid ticks, zone 12

The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks


Where omitted, land lines have not been established

UTM GRID AND 1983 MAGNETIC NORTH
DECLINATION AT CENTER OF MAP
DIAGRAM IS APPROXIMATE

SCALE 1:24 000

CONTOUR INTERVAL 40 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

ROAD CLASSIFICATION	
Primary highway, hard surface	Light duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

THE FRYING PAN, UTAH
38111-E1-TF-024

1983

DMA 3761 II SE-SERIES V897

RECEIVED
JUL 3 1 2002USGS/ARL
HISTORICAL MAP ARCHIVES