



Prepared by the U.S. Army Topographic Command (AOSC), Washington, D.C. Compiled in 1957 by photogrammetric methods and from United States quadrangles 1951-1952. Planimetry revised in part from aerial photographs taken 1954-55. Photographs field annotated 1956. Revised by the U.S. Geological Survey 1970.
Area covered by light-blue hatching is to be submerged
100,000-foot grids based on Utah coordinate system, south and central zones
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Interchange

RAILROADS

Standard gauge
Narrow gauge
Landing area
International
State
County
Park or reservation

BOUNDARIES

Landplane airport
Landing area
Seaplane airport
Seaplane anchorage
Woods/brushwood

Other features

Mine
Landmark: School; Church; Other
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER TRANSVERSE MERCATOR GRID, ZONE 12

MAGNETIC DECLINATION FOR 1970 IS 15° (270 MILES) EASTERLY OVER THE ENTIRE AREA

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM

100,000 M. SQUARE IDENTIFICATION

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

USGS
Historical File
Topographic Division

SALINA, UTAH
1956
REVISED 1970

MAY 02 1977

22300