



V502, EDITION 3
Prepared by the U.S. Army Topographic Command (BEAM), Washington, D.C. Compiled in 1954 by photogrammetric methods and from United States quadrangles, 1:24,000 and 1:62,500, 1936-50. Planimetry revised from aerial photographs taken 1952. Photographs field annotated 1953. Revised in 1971 by the U.S. Geological Survey from aerial photographs taken 1970.
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS

Single track
Double or Multiple track
Standard gauge
Narrow gauge

BOUNDARIES

International
State
County
Park or reservation

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Interchange

Landplane airport

Landing area
Seaplane airport
Orchard

Landmark: School; Church; Other, etc.

Spot elevation in feet
Intermittent or dry stream
Marsh or swamp
Power line
Woods brushwood

Route markers: Interstate, U.S., State

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 100 FEET

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 14

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 11° (200 MILS) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 9° (180 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20542

LOCATION DIAGRAM

MANITOBA A. K. R. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36.

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

GRID ZONE DESIGNATION: 14U

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: ROSE HILL SCHOOL

GRID ZONE DESIGNATION: 14U

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: ROSE HILL SCHOOL

GRID ZONE DESIGNATION: 14U

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: ROSE HILL SCHOOL