

Produced by the United States Geological Survey


Topography compiled 1973. Planimetry derived from imagery taken 1988 and other sources. Photinspected using imagery dated 1996; no major culture or drainage changes observed. Survey control current as of 1975. Boundaries verified 2000.

Selected hydrographic data compiled from NOS chart 13309 (1977). This information is not intended for navigational purposes.

North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: Maine coordinate system, east zone (transverse Mercator).

1000-meter Universal Transverse Mercator grid, zone 19. North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.

UTM GRID AND 2000 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 13.1 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



1	2	3	1 Kenduskeag
4	5	6	2 Pushaw Lake
7	8	9	3 Old Town
			4 Hermon
			5 Veazie
			6 Snow Mountain
			7 Hampden
			8 Brewer Lake

BANGOR, ME

1996

NIMA 7273 IV SE-SERIES V811

ROAD CLASSIFICATION

Primary highway
hard surface
Secondary highway
hard surface
Light-duty road, hard or
improved surface
Unimproved road
Interstate Route
U.S. Route
State Route

