


Mapped by the U. S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USGS and USC&GS
Topography from aerial photographs by multiplex methods
supplemented by plane-table surveys 1945 and 1946
Aerial photographs taken 1944. Field check 1948
Hydrography from surveys dated 1881 to 1931
Polyconic projection. 1927 North American datum
10,000-foot grid based on Maine coordinate system,
east zone
No distinction is made between dwellings, barns,
commercial and industrial buildings
Unchecked elevations are shown in brown



SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 5 10 KILOMETER
CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 11 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty LANE IS LANE Improved dirt
Medium-duty LANE IS LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route
HARRINGTON, ME.
SE 1/4 CHERRYFIELD 15' QUADRANGLE
N4430-W6745/7.5
EDITION OF 1951

USGS
Historical File
Topographic Division