


Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey

Control by USC&GS, USGS, and TVA
Topography by USGS and TVA by multiplex and planetable
methods from aerial photographs taken 1946
Field examination by TVA, 1949

Polyconic projection. 1927 North American datum
10,000-foot grid based on Alabama (West) rectangular
coordinate system

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION 1949



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
AND BY U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
In developed areas, only through roads are classified
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty — 4 LANE 18 LANE Improved dirt
Medium-duty — 4 LANE 18 LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface —
U. S. Route State Route

USGS
Historical File
Topographic Division
SOMERVILLE, ALA.
N3422.5-W8645.7.5
PRINTED 1951
FILE COPY
Inspection and Editing