



Prepared by the Army Map Service (BART), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1955 by photogrammetric methods. Horizontal and vertical control by USGS and USC&GS. Aerial photography 1953. Photography field annotated 1955. 100,000-foot grid based on Oregon coordinate system, south zone 10,000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue.

LEGEND
ROAD DATA 1955
Figures in red denote approximate distances in miles between stars

POPULATED PLACES
Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS
Standard gauge
Narrow gauge
Bridges
Interlocking
County
Park or reservation

LANDMARKS
Landplane airport
Landing area
Seaplane airport
Dry lake
Woods-brushwood

SYMBOLS
Landmarks: School; Church; Other, etc.
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000
0 5 10 15 20 25 30 Statute Miles
0 5 10 15 20 25 30 Kilometers
0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS
TRANSVERSE MERCATOR PROJECTION

1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 18°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 19°00' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°00' WESTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.

LOCATION DIAGRAM FOR NK 11-4

NK 10-11	NK 10-12	CANYON CITY	NK 11-11	CHALLIS
NK 10-2	NK 10-3	NK 11-1	NK 11-2	NK 11-3
NK 10-5	NK 10-6	NK 11-4	NK 11-5	NK 11-6
NK 10-8	NK 10-9	NK 11-7	NK 11-8	NK 11-9
NK 10-11	NK 10-12	NK 11-10	NK 11-11	NK 11-12

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

USGS
Historical File
Topographic Division

FEB 12 1963
995