



PRODUCED BY THE U. S. GEOLOGICAL SURVEY

Base map prepared by Defense Mapping Agency by photogrammetric methods and from 1:62,500-scale maps dated 1934 and 1935. Field checked 1954 and 1955. Revised by the U. S. Geological Survey from aerial photographs taken 1974-1978 and other source data. Revised information not field checked. Map edited 1981.

Areas covered by dashed light-blue pattern are subject to controlled inundation.

Transverse Mercator Projection. 10,000-meter Universal Transverse Mercator grid, zone 14. 100,000-foot grid ticks based on Nebraska coordinate system, south zone, 1927 North American Datum. To place on the predicted North American Datum 1983, move the projection lines 4 meters north and 27 meters east.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS

Standard gauge
Narrow gauge
International
State
County
Park or reservation

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Grand Coulee interchange
Sun Valley

LANDMARKS

Landmark airport
Landing area
Seaplane airport
Dry Lake
Woods-brushwood

LEGEND

Figures in red denote approximate distances in miles between stars

ROUTE MARKERS

Interstate, U.S., State
Landmark: School, Church, Other, etc.
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

SCALE

Scale 1:250,000
0 5 10 15 20 25 30 Statute Miles
0 5 10 15 20 25 30 Kilometers

CONTOUR INTERVAL 50 FEET

1981 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8° (142 MILS) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 6° (120 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE

LOCATION DIAGRAM

LOCATION DIAGRAM
NEBRASKA
KANSAS
MISSOURI
IOWA
SOUTH DAKOTA
NEBRASKA
KANSAS
MISSOURI
IOWA
SOUTH DAKOTA

SECTIONIZED TOWNSHIP

SECTIONIZED TOWNSHIP
6 5 4 3 2 1
7 8 9 10 11 12
13 14 15 16 17 18
19 20 21 22 23 24
25 26 27 28 29 30
31 32 33 34 35 36

GRID ZONE DESIGNATION

GRID ZONE DESIGNATION
14T
100,000 M. SQUARE IDENTIFICATION
NA PA QA
NV PV QV
40 10
40 10

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS
1. Read letters identifying 100,000 meter square in which the point lies.
2. Read the horizontal and vertical grid numbers of the point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
4. Estimate tenths from grid line to point.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

LINCOLN, NEBRASKA; KANSAS

LINCOLN, NEBRASKA; KANSAS
1955
REVISED 1981

RECD FILE COPY

RECD FILE COPY
JUN 25 1986
USGS MAP HISTORICAL MAP