

Produced by the United States Geological Survey
in cooperation with the Mississippi Department of
Environmental Quality, Office of Geology
Derived from imagery taken 1996 and other sources. Field
checked 1998

North American Datum of 1983 (NAD 83). Projection and
1 000-meter grid: Universal Transverse Mercator, zone 15
2 500-meter ticks: Mississippi Coordinate System of 1983
(west zone)


North American Datum of 1927 (NAD 27) is shown by dashed
corner ticks. The values of the shift between NAD 83 and
NAD 27 for 7.5-minute intersections are obtainable from
National Geodetic Survey NADCON software
There may be private inholdings within the boundaries of the
National or State reservations shown on this map

UTM GRID AND 1998 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

RECEIVED

DEC 3 1 1998

USGS NMD
HISTORICAL MAP ARCHIVES



CONTOUR INTERVAL 10 FEET
SUPPLEMENTARY CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	9

1 Charleston
2 Canton
3 Shreveport
4 Ridgeland
5 Goshen Springs
6 Jackson
7 Jackson SE
8 Brandon

ADJOINING 7.5' QUADRANGLE NAMES

ROAD CLASSIFICATION
Primary highway
hard surface
Secondary highway
hard surface
Light-duty road, hard or
improved surface
Unimproved road
Interstate Route
U.S. Route
State Route

MADISON, MS
1998

NIMA 2948 I NE-SERIES V843

