




Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey  
Control by USC&GS, USGS, USED, and TVA  
Topography by USGS and TVA by multiplex methods from aerial  
photographs taken 1948. Field examination by TVA, 1950  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Mississippi (East) and  
Alabama (West) rectangular coordinate systems  
1000-meter Universal Transverse Mercator grid ticks,  
zone 16, shown in purple  
Grid declination 0°40' 12 mils West  
Revisions in purple compiled by TVA November 1967 from  
March 1967 photography without field examination

3 1/2°/62 MILS  
TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION 1960  
1968




CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092.  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

#### LEGEND

Fence and field line  
Stream  
Pond and dam  
Mine or quarry  
Woodland (formerly clearing)  
Clearing (formerly woodland)  
General deletion  
Wagon and jeep track  
Foot trail

ROAD CLASSIFICATION  
In developed areas, only through roads are classified  
HARD-SURFACE ALL WEATHER ROADS  
Heavy-duty  
Medium-duty  
Loose-surface, graded, or narrow hard-surface  
U. S. Route  
State Route  
DRY WEATHER ROADS  
Improved dirt  
Unimproved dirt



TISHOMINGO, MISS.-ALA.  
N3437.5-W8807.5/7.5

1950

26-NW  
AMS 3353 11 NW SERIES V843

USGS  
Historical File  
Topographic Division

AUG 1 1974