

Mapped, edited, and published by the Geological Survey
as part of the Department of the Interior program
for the development of the Missouri River Basin


Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1957. Field checked 1960

Polyconic projection. 1927 North American Datum
10,000-foot grid based on Wyoming coordinate system

10,000-foot grid based on Wyoming coordinate system,
east central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 13, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs
This information is unchecked



20%
TOTAL RECOVERED FIBER


SCALE 1:24,000

1 0 1 MIL

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 0.5 0 1 KILOMETER



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929




QUADRANGLE LOCATION

To place on the predicted North American Datum 1983
move the projection lines 8 meters north and
52 meters east as shown by dashed corner ticks

ROAD CLASSIFICATION

Medium-duty  Light-duty 

Unimproved dirt 

HYATT RANCH, WYO.

44107-C5-TF-024

1960

DMA 4472 I SE-SERIES V874

RECEIVED

APR 20 2001

HISTORICAL MAP ARCHIVE:

100 mm A

www.pearson.com

