

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1965. Field checked 1966

Polyconic projection. 1927 North American datum 10,000-foot grid based on Wyoming coordinate system, east central zone



1000-meter Universal Transverse Mercator grid ticks, zone 12, shown in blue

Fine red dashed lines indicate selected fence lines

Land lines are omitted in areas of extensive tract surveys


To place on the predicted North American Datum 1983 move the projection lines 9 meters north and 53 meters east as shown by dashed corner ticks

Map photoinspected 1978  
No major culture or drainage changes observed



CONTOUR INTERVAL 20 FEET  
DOTTED LINES REPRESENT 10-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION	
Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
U.S. Route	

LOVELL, WYO.  
N4445—W10822.5/7.5

1966  
PHOTOINSPECTED 1978  
DMA 4375 IV SW-SERIES V874

RECEIVED

AUG 3 1 2002

USGS  
HISTORICAL MAP ARCHIVES

97806071608403