



Mapped by U.S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USC&GS (C) and USED (E)
Culture and drainage in part compiled from
aerial photographs taken 1946. Field check 1948
Topography by plane-table methods 1948
Polyconic projection. 1927 North American datum
10,000-foot grid based on Florida coordinate system,
east zone
No distinction is made between dwellings, barns,
commercial and industrial buildings

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1948

SCALE 1:24,000
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 1 KILOMETER
CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 1 FOOT

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION
USGS
Historical File
Topographic Division

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty ———— LANE IS LANE Improved dirt ————
Medium-duty ———— LANE IS LANE Unimproved dirt ————
Loose-surface, graded, or narrow hard-surface. - - - - -
U. S. Route State Route

PALM CITY, FLA.
N2707.5—W8015/7.5

1948

MOV 1 6 1956