


80°22'30" 27°37'30" 1:240,000
Mapped by U. S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USC&GS(C) and USED(E)
Culture and drainage in part compiled from
aerial photographs taken 1946. Field check 1948
Topography by plane-table methods 1948
Polyconic projection. 1927 North American datum
10,000-foot grid based on Florida coordinate system,
east zone
No distinction is made between dwellings, barns,
commercial, and industrial buildings
Dashed public land lines indicate approximate location
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue



CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 1 FOOT IN THE INDIAN RIVER
AND 3 FEET ALONG THE OCEAN
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty 1 LANE 1 LANE Improved dirt
Medium-duty 1 LANE 1 LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

RIOMAR, FLA.
N2737.5-W8015/7.5
1948
AMS 4939 III NE-SERIES V847

3695